ХРОМАТОГРАФИЧЕСКИЕ СРЕДЫ ESHMUNO HCX/CPX



Алматы (7273)495-231 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89

Ижевск (3412)26-03-58 **Иркутск** (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Россия +7(495)268-04-70

Иваново (4932)77-34-06

Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37

Магнитогорск (3519)55-03-13

Казахстан +7(7172)727-132

Псков (8112)59-10-37

Пермь (342)205-81-47 Ростов-на-<mark>Д</mark>ону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Саранск (8342)22-96-24 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97

Киргизия +996(312)96-26-47

Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

Тверь (4822)63-31-35

Томск (3822)98-41-53

Тюмень (3452)66-21-18

Ульяновск (8422)24-23-59

Хабаровск (4212)92-98-04

Чебоксары (8352)28-53-07

Челябинск (351)202-03-61

Улан-Удэ (3012)59-97-51

Тула (4872)33-79-87

Уфа (347)229-48-12

Тольятти (8482)63-91-07

Eshmuno® HCX media

New, high salt-tolerant multi-mode chromatography resin

Eshmuno® HCX media, the newest member of the innovative Eshmuno® resin product offering, is a smart mixed-mode resin that couples Merck Millipore's renowned tentacle structure with the new hydrophilic polyvinyl ether base matrix. As a result, Eshmuno® HCX media offers outstanding performance results at higher salt concentration in typical ion exchange and flow-through applications.

Proven Technology

Eshmuno® chromatography resins are a new and unique family of ion exchange resins that are designed specifically for highly productive downstream bioprocessing. The first members of the family, Eshmuno® S resin and Eshmuno® Q resin, are smart ion exchangers designed for fast and efficient purification of antibodies.

Eshmuno® HCX media, a perfect line extension to the existing Eshmuno® chromatography resin family, is the result of extension to address the developing needs of the industry of performing state-of-the-art chromatography steps in the manufacture of today's approved biotherapeutics.

With Eshmuno® HCX media, you benefit from:

- Greater capacity at high-salt concentrations
- Superior productivity
- Outstanding selectivity
- Rigid base beads for easy packing
- Excellent pressure flow behavior




The new multi-mode cation exchanger Eshmuno® HCX media was specifically designed for the direct capture of recombinant proteins at higher salt concentrations. The applied and proven tentacles technology allow for a multipoint interaction between biopharmaceutical and media resulting in higher binding capacities. The specially designed hydrophilic polyvinyl ether base bead allows for high flow rates and therefore faster processing in biopharmaceutical operations.

NH weak ionic strong ionic hydrophobic hydrophobic


Figure 1.
Eshmuno® HCX media: Chemical structure of multifunctional tentacles for salt-tolerant interactions

Eshmuno® HCX resin tentacles, forming a threedimensional ion exchange network, enable easy access of the proteins to the ligands.



Eshmuno® HCX media: Flexible tentacle-type ion exchange for multi-point interactions

Spherical regular shape and appropriate particle size distribution allow for easy packing and scale-up. The open and regular pore system enables good accessibility.



---- 10 μm





Figure 3.
Rigid base beads: Highly cross-linked hydrophilic polyvinyl derivative assuring outstanding robustness compared to other bead-based technologies

Superior productivity for downstream processing

Safety and efficiency are the key elements of any purification scheme for biological molecules. Downstream processing is the most time-consuming and most costly process step in the manufacture of biological drugs. Particular care has to be taken into account when selecting the raw materials which come in direct contact with the biological active ingredient.

Process Window Contour Plot

Both, static and dynamic testing methods demonstrate the wide range of operating conditions of Eshmuno® HCX media achieving high protein binding capacities at high salt levels. The open interconnected pore structure maintains rapid mass transfer, resulting in these higher dynamic capacities being achievable over a wide range of process conditions.



53 mg/mL	14 mg/mL	150 mM NaCl
27 mg/mL	n.d.	75 mM NaCl
pH 5.5	pH 6.0	

Table A. Dynamic binding capacity of polyclonal human IgG in 20 mM phosphate at 10% breakthrough, 5 min residence time

Static binding capacity of polyclonal human lgG in mg/ml in 25 mM acetate, 25 mM phosphate, 0 - 300 mM NaCl

In combination with the excellent pressure flow behavior an outstanding productivity of the Eshmuno® HCX media can be achieved, resulting in considerable manufacturing cost savings.




Figure 5.

Operational Flexibility: Pressure vs. Flow curve showing excellent pressure flow properties enabling easy packing and scale-up, similar like for the other members of the Eshmuno® resin family

Streamlined scouting and process development

Eshmuno® HCX media is available in pre-packed, ready-to-use, disposable columns. These small-scale columns are the ideal tool for performing initial media screening, scaling and optimization studies. These easy-to-use, economical columns can be used with any chromatography system.

Sanitization

Eshmuno® HCX media can easily be sanitized and is compatible over a wide range of pH conditions and has an excellent stability against alkaline and acids.

Storage

Eshmuno® HCX media is supplied in 20% Ethanol and 150 mM NaCl suspension as a preservative.

Type of chromatography	Multi-modal cation exchange chromatography	
Functional group	Sulfo, carboxy and phenyl groups	
Base matrix	Surface grafted rigid polyvinyl ether hydrophilic polymer	
Mean particle size (d ₅₀)	75 – 95 μm	
lgG Dynamic Capacity (pH 5.5, 5 min residence time, 10% breakthrough)	≥ 50 mg/ml	
lonic capacity	170-300 μeq/ml	
Linear flow rate	up to 1000 cm/h < 2.5 bar net pressure	
pH stability	pH 2 up to 12	
Pressure limit	8 bar	

Table B. Eshmuno® HCX media characteristics

Ordering Information

Eshmuno® HCX media	1.20087

Eshmuno® CPX media

High aggregate removal efficiency combined with high dynamic binding capacity

Eshmuno® CPX media is a strong cation exchanger built on the proven Eshmuno® resin technology. Eshmuno® CPX media combines high aggregate removal efficiency in downstream purification linked to an outstanding high dynamic binding capacity, utilizing the 50 µm Eshmuno® base bead technology and Merck Millipore's proprietary tentacle technology.




Figure 1. Resin tentacles forming a three-dimensional ion exchange network, enable easy access of the proteins to the ligands



Benefits

- Excellent mAb monomer/aggregate separation efficiency
- High resolution intermediate purification
- Superior dynamic binding capacity
- High throughput purification
- Rigid base bead for easy packing
- Outstanding pressure flow behavior


	Eshmuno® CPX media
Type of chromatography	Strong cation exchanger
Functional group	Sulfoisobutyl
Base material	Surface grafted rigid hydrophilic polyvinylether polymer
Mean particle size (d ₅₀)	50 μm
Dynamic protein binding capacity	120 mg plgG/mL packed resin
(4 min residence time, 5% BT)	
Ionic capacity	60 μmol/mL, settled resin
pK value	<1
pH stability during operations*	In working conditions (proteins/contaminants binding and elution): pH 2 to 12
	In cleaning and sanitization: pH 0 to 14
Mechanical stability	8 bar
Linear flow rate	Up to 500 cm/h (< 3.0 bar net pressure)
	20 x 10 cm i.d. column, 12%–15% compression, 150 mM NaCl as mobile phase
Storage conditions**	20% EtOH/150mM NaCl solution, temperature between +4 °C to +40 °C
Shipping solution	20% EtOH/150mM NaCl solution


 $^{{}^*\!}Recommended\ pH\ intervals\ where\ the\ resin\ can\ be\ operated,\ at\ room\ temperature,\ without\ significant\ change\ in\ function$

Table 1. Eshmuno® CPX media characteristics

Eshmuno® CPX media is the first member of an expanded novel high-resolution platform designed to meet the needs for highly productive downstream bioprocessing applications. The 50 µm particle size (see Figure 2 for SEM pictures) provides a superior resolution and impurity clearance independent of scale and flow rate.

Figure 2. SEM pictures of Eshmuno® CPX media





Ordering information

Description	Size	Catalogue No.
Eshmuno® CPX bulk media	10 mL	1.20083.0010
	100 mL	1.20083.0100
	500 mL	1.20083.0500
	5000 mL	1.20083.5000
MiniChrom Column	1 mL	1.25156.0001
	5 mL	1.25157.0001
RoboColumn®	0.2 mL	1.25158.0001
	0.6 mL	1.25159.0001

^{**}Time interval between utilizations of the resin



Алматы (7273)495-231 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Вологорад (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (352)50-90-47

Липецк (4742)52-20-81 Россия +7(495)268-04-70 Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37

Казахстан +7(7172)727-132

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Киргизия +996(312)96-26-47

Тверь (4822)63-31-35 Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93